SUBJECT INDEX

Adhesion, p. 139
Aging, pp. 46, 553
Air flow, p. 427
Appliance foam insulation, pp. 62, 108, 355, 601
Automotive interiors, pp. 191, 390
Blowing agents, pp. 159, 235, 274, 367, 501, 579
Carbon black, pp. 62, 108
Cell gas content, p. 355
Cell-size distribution, p. 235
Cellular plastics, p. 553
Cellulosic fiber, p. 449
CFC, p. 579
CFC-11, pp. 159, 601
CFC alternatives, pp. 108, 553
CFC phase-out, p. 46
Composites, p. 449
Compression properties, p. 224
Compressive strengths, p. 274
Creep, p. 601
Cyclopentane, pp. 46, 159, 501
Cyclopentane blown system, p. 367
Dimensional stability, pp. 139, 274, 485, 553, 601
Domestic refrigeration, p. 46
Dynamic modulus, p. 390
Energy, pp. 108, 355
Environment, p. 46
Filled systems, p. 108
Filler, p. 191
Film drainage, p. 427
Firmness control, p. 298
Flammability, pp. 23, 274, 501
Flowability, p. 139
Foam, pp. 23, 260, 318, 427, 601
  carbon dioxide blown, pp. 23, 139, 159
  encapsulation, p. 470
  epoxy, p. 224
  flexible, pp. 191, 318, 390
  hard, p. 224
  HCFC-141b, pp. 108, 274, 367, 485, 601
  HR molded polyurethane, p. 298
  insulating, p. 501
  integral skin, p. 579
  isocyanurate, p. 501
  microcellular, p. 449
  molded, p. 318
  polyisocyanurate, p. 553
  polyurethane, pp. 62, 108, 139, 159, 224, 470, 528, 553
  polyurethane slabstock, p. 13
  rigid, pp. 23, 139, 274, 355, 470, 485, 528, 601
  rigid polyurethane, pp. 235, 367
  water-blown rigid, pp. 82, 139
Foam-in-fabric, p. 390
Foam insulation, p. 553
Foam processing, p. 274
FR (flame retardant) performance, p. 13
FTIR, p. 260
Gas/polymer distribution, p. 159
High resilience, p. 318
High shear mixing, p. 191
Hot plate, p. 501
Humidity effects, p. 298
Hydrocarbons, pp. 46, 501
Insulating properties, p. 108
Insulation, pp. 23, 139, 172, 355, 553
Isocyanate, pp. 260, 274
Isocyanurate, p. 260
k-factor, pp. 62, 108, 235, 355, 367
Light interference microscopy, p. 427
Low density, pp. 139, 390
Mannich, p. 23
MDI, p. 390
MDI prepolymer, p. 390
Microphase separation, p. 427
Morphology, p. 579

(continued)

Subject Index (continued)
Morphology control agents, p. 235
Pellet milling, p. 191
Pentane, pp. 485, 501
Photoacoustic, p. 260
Polyisocyanurate, p. 274
Polymeric methylene di(phenylene isocyanate), p. 172
Polyol, p. 274
Polyureas, p. 172
Polyurethane, pp. 23, 46, 191, 260, 318, 355, 390, 427, 470, 485, 501, 579, 601
Prediction model, p. 318
Predictive testing, p. 485
PVC, p. 449
Radiation transfer, p. 108
Radiative heat transfer, p. 528
Rapid cure, p. 390
Recycling, pp. 191, 390
Reproducibility, p. 260
Safety, pp. 46, 390
Scanning electron microscopy, pp. 427, 579
Segmented block copolymer, p. 427
Silicone surfactant, pp. 13, 427
Siloxane, p. 13
Slabstock, p. 318
Solvent extraction, p. 159
Sound insulation, p. 390
Spray, p. 23
Statistical analysis, p. 260
Structure-properties relation, p. 224
Surface treatment, p. 449
Temperature effects, p. 298
Testing hardness, p. 298
Thermal conductivity, pp. 172, 355
Thermal method, p. 159
Trimer, p. 260
Urea precipitation, p. 427
Vacuum panels, pp. 172, 470
Viscosity, p. 274
Xerogels, p. 172
Zero-ODP, p. 46

AUTHOR INDEX

Ackley, J. C., p. 355
Balatinecz, J. J., p. 449
Ball, E. E., p. 62
Bazzo, W., p. 46
Bhattacharjee, D., pp. 23, 139, 260, 274
Bledzki, A. K., p. 224
Burkhart, G., p. 13
Cappella, A., p. 46
Cavender, K. D., p. 298
Christman, D. L., p. 82
Cunningham, A., p. 528
Daems, D., pp. 485, 553
Deschaght, J., p. 470
De Vos, R., p. 470
Dressel, D., p. 23
Eeckhaut, G., p. 528
Engineer, R., p. 260
Fishback, T. L., p. 501
Franco, M. V., p. 485
Galligan, P. L., p. 62
Gassan, J., p. 224
Gluck, D. G., p. 62
Godbey, J. A., p. 108
Hicks, D. A., p. 191
Huygens, E., p. 390
Kijak, I., p. 235
King, J. A., p. 355
Kinkelaar, M. R., p. 298
Kirk, A. C., p. 191
Koehler, C. E., p. 274
Kurek, K., p. 224
Latham, D. D., p. 355
Lee, L. J. S., p. 579
Leenslag, F. W., p. 390
Lewis, K. M., p. 235
Lowe, D. W., p. 367
Lynch, J. J., p. 553
Macosko, C. W., p. 427
Matuana-Malanda, L., p. 449
Mirasol, S., p. 139
Moore, S. E., p. 23
Moreno, O., p. 139
Murty, V. S., p. 390
Neff, R. A., p. 427
Nichols, J. B., p. 139

Okuzono, S., p. 367
Park, C. B., p. 449
Parsley, K. D., p. 274
Pisipaṭi, J. S., pp. 62, 108
Ramnas, O., p. 159
Reichel, C. J., p. 82
Reuter, K. B., p. 235
Riley, R. E., p. 501
Rosbotham, D., pp. 470, 485
Schiff, D. E., p. 274
Schiffauer, R., p. 318
Singh, S. N., pp. 485, 553
Stapleton, R. J., p. 191
Svanstrom, M., p. 159
Szabat, J. B., p. 235
Tabor, R., pp. 139, 172
Talbot, S., p. 46
Tamano, Y., p. 367
Tsai, C.-C., p. 579
Weier, A., p. 13
Yasunaga, K., p. 427
Yoshimura, H., p. 367
Yourd, R. A., p. 601
Yuh, N.-H., p. 579
Yu-Hallada, L. C., p. 501
Zellmer, V., p. 13
Zhang, X. D., p. 427